




# Cambridge SoundWorks OontZ Angle Plus Battery Replacement

Replace the dead or dying in battery your Cambridge SoundWorks OontZ Angle Plus.

Written By: Artem Nykolenko



## INTRODUCTION

Use this guide to replace the battery.

---

### TOOLS:

- [Phillips #1 Screwdriver](#) (1)
  - [Soldering Station](#) (1)
  - [iFixit Opening Tools](#) (1)
-

## Step 1 — Lower Casing



- Pull back the six screw covers on the bottom of the device.
- Starting from the screw covers, peel the casing away from the bottom plate.

## Step 2 — Battery



- Unscrew the five 11.5mm Phillips screws on the bottom plate.




## Step 3




- Carefully pull apart the bottom plate and the top plate, using the blue Plastic Opening Tool.

## Step 4




- Once the bottom plate and the top plate are separated slowly pull the back plate away from the top plate.
- ⓘ There are wires connected to both plates so do this step with care.

## Step 5




- Unscrew the two 10 mm Phillips screws on the brace holding down the battery.
- Remove the brace that holds the battery in place.

## Step 6




- Separate the battery from the bottom plate and set the bottom plate aside.

## Step 7



- With some force, push the motherboard straight in toward the center of the device.


## Step 8



- Pull the motherboard straight out of the device.
- ⓘ There is some adhesive on the motherboard that holds it in place. This make the motherboard fit in the groove rather tight.



## Step 9



- Desolder the wires that connect the battery to the motherboard, negative (black wire) and positive (red wire).

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-07-15 07:20:18 PM.